



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

# **PREVALENCE OF DISEASE.**

---

## **IN CERTAIN STATES AND CITIES.**

---

### **SMALLPOX.**

#### **California—San Francisco and Vicinity.**

Passed Asst. Surg. Long, of the Public Health Service, reported by telegraph February 8, 1913, that during the week ended February 8 no new cases of smallpox were notified in San Francisco and that no cases remained under treatment in that city; at Oakland 6 new cases were reported, 12 cases remaining under treatment; at Berkeley 2 new cases were reported, with 6 cases still under treatment. At Alameda 1 case, previously reported, was still under treatment.

#### **Florida—Pensacola.**

Acting Asst. Surg. Mallory, of the Public Health Service, reported by telegraph from Pensacola, February 8, 1913, that during the preceding week 13 cases of smallpox had been notified in Pensacola, and that a total of 193 cases had been notified to the date of report.

#### **Kentucky—Ohio, Grayson, and Davis Counties.**

Surg. Clark, of the Public Health Service, reported by telegraph from Beaver Dam, February 8, 1913, that 61 cases of smallpox had been notified in Ohio County since the outbreak in November; February 9, that 39 cases of smallpox had been notified in Grayson County, from 5 infected points since the outbreak of the disease in December; and February 11, that in Davis County, since April, 1912, 50 cases had been reported in Owensboro, the last case having been notified February 5, 1913, and that since November, 1912, 72 cases had been reported in the county outside of Owensboro.

**New York—Niagara Falls.**

Acting Asst. Surg. Bingham, of the Public Health Service, reported by telegraph from Niagara Falls, February 8, 1913, that 4 new cases of smallpox had been notified in Niagara Falls during the week ended February 8, 1913.

**Oklahoma—Choctaw, McCurtain, and Pushmataha Counties.**

Information was received through the United States Commissioner of Indian Affairs concerning smallpox in Oklahoma as follows: A report dated at Hugo, February 3, 1913, stated that up to the time of the report 82 cases of smallpox, with 21 deaths, had been reported in Choctaw County, that 51 of the cases and 17 of the deaths reported occurred in the town of Hugo, and that 4 mild cases of the disease had occurred among Indians at the Old Goodland Mission, 3 miles from Hugo. In all only 7 cases were known to have occurred among the Indians and of these 2 terminated fatally. Thirty-one cases, with 10 deaths, had been notified in McCurtain County and about 18 cases in other near-by counties.

**Pennsylvania—Allegheny Home, Woodville.**

Surg. Stoner, of the Public Health Service, reported February 11, 1913, that 5 new cases of smallpox had been notified in the Allegheny Home at Woodville, making a total of 15 cases with 3 deaths reported for that institution since January 23, 1913.

**Texas—Virulent Form in Hunt County.**

Dr. T. J. Milner, health officer of Hunt County, Tex., on February 5, 1913, reported regarding smallpox in that county as follows: There was a case of smallpox in Hunt County at Lone Oak in the latter part of October. From this focus there arose 11 secondary cases, with 3 deaths. On November 12 a case developed in the southeast part of the county. There were in all 9 cases, with 1 death, from this focus. On November 14, 2 cases developed in Greenville. One of these died. A widely advertised lot sale was held in Greenville on November 20, which drew a great many people from the surrounding section. About 15 days afterwards the disease broke out in many families. The epidemic was of the virulent form, 127 cases, with 34 deaths, having been reported. At present the disease is apparently under control, there being but 3 cases remaining under treatment.

**Texas—Hidalgo County.**

Acting Asst. Surg. Fairbanks, of the Public Health Service, reported February 3, 1913, that a new outbreak of smallpox had been reported in Hidalgo County, Tex., and that the infection had existed there for two or three weeks.

## Miscellaneous State Reports.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Alabama (Dec. 1-31):			Michigan (Jan. 1-31)—Contd.		
Counties—			Counties—Continued.		
Bibb.....	8	.....	Shiawassee.....	1	.....
Butler.....	1	.....	Tuscola.....	1	.....
Hale.....	5	.....	Wayne.....	94	.....
Montgomery.....	2	.....	Total.....	164	.....
Pickens.....	24	.....			
Tuscaloosa.....	22	.....	New Jersey (Jan. 1-31):		
Total.....	62	.....	Counties—		
Arizona (Jan. 1-31):			Middlesex.....	2	.....
Counties—			Monmouth.....	24	.....
Maricopa.....	24	.....	Passaic.....	1	.....
Phoenix.....	1	.....	Total.....	27	.....
Total.....	25	.....	Washington (Dec. 1-31):		
Michigan (Jan. 1-31):			Counties—		
Counties—			Benton.....	1	.....
Allegan.....	1	.....	Chelan.....	2	.....
Berrien.....	1	.....	Clallam.....	3	.....
Cheboygan.....	1	.....	Clarke.....	20	.....
Eaton.....	1	.....	Kitsap.....	1	.....
Emmet.....	2	.....	Kittitas.....	2	.....
Genesee.....	1	.....	Klickitat.....	8	.....
Gratiot.....	7	.....	Lewis.....	20	.....
Ingham.....	23	.....	Mason.....	9	.....
Kent.....	1	.....	Pierce.....	2	1
Lapeer.....	4	.....	Skagit.....	15	.....
Lenawee.....	1	.....	Skamania.....	1	.....
Menominee.....	1	.....	Spokane.....	8	.....
Monroe.....	10	.....	Whitman.....	13	.....
Newaygo.....	3	.....	Yakima.....	93	.....
Oakland.....	1	.....	Total.....	198	1
Otsego.....	6	.....	Grand total.....	476	1
St. Clair.....	1	.....			
Sanilac.....	3	.....			

## City Reports for Week Ended Jan. 25, 1913.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal.....	1	.....	Milwaukee, Wis.....	5	.....
Altoona, Pa.....	1	.....	Montgomery, Ala.....	3	.....
Baltimore, Md.....	3	.....	New Castle, Pa.....	2	.....
Berkeley, Cal.....	.....	1	Niagara Falls, N. Y.....	1	.....
Cambridge, Ohio.....	12	.....	Oakland, Cal.....	2	.....
Chattanooga, Tenn.....	4	.....	Omaha, Neb.....	7	.....
Chicago, Ill.....	20	.....	Peoria, Ill.....	1	.....
Cumberland, Md.....	1	.....	Providence, R. I.....	1	.....
Detroit, Mich.....	16	.....	San Diego, Cal.....	1	.....
Evansville, Ind.....	35	.....	San Francisco, Cal.....	4	.....
Hartford, Conn.....	1	.....	Spokane, Wash.....	7	.....
Johnstown, Pa.....	2	.....	Superior, Wis.....	1	.....
Knoxville, Tenn.....	7	.....	Toledo, Ohio.....	6	.....
La Crosse, Wis.....	2	.....	Washington, D. C.....	2	.....
Lowell, Mass.....	1	.....	Wilmington, N. C.....	1	.....
Manchester, N. H.....	5	.....	Zanesville, Ohio.....	7	.....

**TYPHOID FEVER.****State Reports for December, 1912.**

Place.	Number of new cases reported during month.	Place.	Number of new cases reported during month.
Alabama:		Washington:	
Butler County.....	1	Benton County.....	2
Colbert County.....	1	Chehalis County.....	4
Etowah County.....	1	Chelan County.....	1
Jefferson County.....	20	Douglas County.....	5
Lamar County.....	1	Island County.....	5
Lauderdale County.....	1	Lewis County.....	13
Lee County.....	4	Pierce County.....	1
Limestone County.....	2	San Juan County.....	1
Montgomery County.....	2	Snohomish County.....	2
Randolph County.....	2	Everett.....	3
St. Clair County.....	1	Spokane County.....	1
Total.....	36	Spokane.....	18
		Total.....	56

**CEREBROSPINAL MENINGITIS.****Alabama Report for December, 1912.**

The State Board of Health of Alabama reported that 2 cases of cerebrospinal meningitis had been notified in Jefferson County, Ala., during the month of December, 1912.

**Washington Report for December, 1912.**

The State Board of Health of Washington reported that during the month of December, 1912, cerebrospinal meningitis was notified as follows: 1 case in Adams County and 1 case in Spokane, Spokane County.

**Cases and Deaths Reported by Cities for Week Ended Jan. 25, 1913.**

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Baltimore, Md.....		2	New Orleans, La.....	3	
Boston, Mass.....		1	New York, N. Y.....	6	7
Cincinnati, Ohio.....	2		Oklahoma, Okla.....	1	1
Cleveland, Ohio.....	1	1	Omaha, Nebr.....	1	1
El Paso, Tex.....	1	1	Peoria, Ill.....		1
Jersey City, N. J.....		1	Pittsburgh, Pa.....	1	
Kansas City, Kans.....	1		Providence, R. I.....		1
Los Angeles, Cal.....	1	1	Saginaw, Mich.....		1
Manchester, N. H.....	1	1	St. Joseph, Mo.....	1	
Montgomery, Ala.....	3	1	St. Louis, Mo.....	1	1
Newark, N. J.....	1		Superior, Wis.....		1

**POLIOMYELITIS (INFANTILE PARALYSIS).****Alabama Report for December, 1912.**

The State Board of Health of Alabama reported that 1 case of poliomyelitis had been notified in Jefferson County, Ala., during the month of December, 1912.

**Washington Report for December, 1912.**

The State Board of Health of Washington reported that 1 case of poliomyelitis was notified in Whitman County during the month of December, 1912.

**Cases and Deaths Reported by Cities for Week Ended January 25, 1913.**

During the week ended January 25, 1913, poliomyelitis was reported by cities as follows: Cincinnati, Ohio, 2 deaths; Los Angeles, Cal., 1 case; New York, N. Y., 3 deaths.

**ERYSIPELAS.****Cases and Deaths Reported by Cities for Week Ended Jan. 25, 1913.**

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Altoona, Pa. ....	1	.....	Newark, N. J. ....	.....	1
Bayonne, N. J. ....	.....	1	Pasadena, Cal. ....	1	.....
Binghamton, N. Y. ....	1	.....	Peoria, Ill. ....	1	.....
Boston, Mass. ....	.....	1	Pittsburgh, Pa. ....	10	1
Cincinnati, Ohio. ....	6	.....	Providence, R. I. ....	.....	1
Cleveland, Ohio. ....	14	2	Reading, Pa. ....	1	.....
Lancaster, Pa. ....	1	.....	Sacramento, Cal. ....	1	.....
Lexington, Ky. ....	1	.....	St. Louis, Mo. ....	17	.....
Los Angeles, Cal. ....	6	.....	San Francisco, Cal. ....	10	.....
Milwaukee, Wis. ....	1	.....	Springfield, Ill. ....	.....	1
New York, N. Y. ....	31	6	Superior, Wis. ....	.....	1

**PLAGUE.****Rats Collected and Examined for Plague.**

Places.	Week ended—	Found dead.	Total collected.	Examined.	Found infected.
California:					
Cities—					
Berkeley .....	Jan. 25, 1913	3	182	126	.....
Oakland .....	.....do.....	13	603	486	.....
San Francisco .....	.....do.....	6	1,769	1,343	.....
Washington:					
City—					
Seattle .....	.....do.....	.....	968	923	.....

**California—Squirrels Collected and Examined for Plague Infection.**

During the week ended January 25, 1913, there were examined for plague infection 145 ground squirrels from San Joaquin County, 39 from San Benito County, and 15 from Stanislaus County. No plague-infected squirrel was found.

## PNEUMONIA.

## Cases and Deaths Reported by Cities for Week Ended Jan. 25, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Alameda, Cal.		1	Melrose, Mass.		2
Altoona, Pa.		1	Moline, Ill.		2
Auburn, N. Y.	3	2	Nashville, Tenn.		5
Aurora, Ill.		1	New Bedford, Mass.		5
Baltimore, Md.		27	Newark, N. J.		10
Bayonne, N. J.		1	New Castle, Pa.	2	
Berkeley, Cal.	1	2	New Orleans, La.		9
Binghamton, N. Y.	11	6	Newton, Mass.		1
Boston, Mass.		39	New York, N. Y.		126
Braddock, Pa.	3		Niagara Falls, N. Y.		6
Bridgeport, Conn.		6	Oklahoma, Okla.		1
Brockton, Mass.		4	Oakland, Cal.		11
Brookline, Mass.		2	Omaha, Nebr.		3
Cambridge, Mass.		10	Passaic, N. J.		5
Chelsea, Mass.		1	Pawtucket, R. I.		3
Chicago, Ill.	46	127	Peoria, Ill.		5
Chicopee, Mass.		4	Pittsburgh, Pa.	31	27
Cleveland, Ohio	33	23	Pittsfield, Mass.		3
Clinton, Mass.	1		Plainfield, N. J.		2
Coffeyville, Kans.	1		Providence, R. I.		12
Concord, N. H.		1	Portsmouth, N. H.		1
Cumberland, Md.		2	Reading, Pa.	3	2
Dayton, Ohio		5	Richmond, Va.		3
Dunkirk, N. Y.		1	Sacramento, Cal.	9	10
Elizabeth, N. J.		1	Salem, Mass.		1
Elmira, N. Y.	1	4	Schenectady, N. Y.	12	3
El Paso, Tex.	10	10	St. Joseph, Mo.		7
Erie, Pa.		4	San Diego, Cal.	5	5
Evansville, Ind.		3	San Francisco, Cal.	17	
Fall River, Mass.		7	South Bend, Ind.		1
Galesburg, Ill.		2	South Bethlehem, Pa.	1	
Grand Rapids, Mich.	2	2	South Omaha, Nebr.	3	
Harrisburg, Pa.		2	Spokane, Wash.		2
Hartford, Conn.		8	Springfield, Ill.		5
Haverhill, Mass.	3	3	Springfield, Mass.		4
Jersey City, N. J.		14	Steelton, Pa.		1
Kalamazoo, Mich.	2	3	Superior, Wis.		1
La Crosse, Wis.		1	Toledo, Ohio.		6
La Fayette, Ind.		1	Waltham, Mass.		2
Lancaster, Pa.	1		Washington, D. C.		10
Lexington, Ky.		1	Wheeling, W. Va.		3
Los Angeles, Cal.	5	18	Wilkes-Barre, Pa.		4
Lowell, Mass.		9	Wilkinsburg, Pa.		1
Lynchburg, Va.		1	Williamsport, Pa.		1
Lynn, Mass.		3	Yonkers, N. Y.		5
Manchester, N. H.	7	7			

## SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS.

## Alabama Report for December, 1912.

The Alabama State Board of Health reported that 20 cases of scarlet fever and 41 cases of diphtheria had been notified in the State during the month of December, 1912.

## Alaska—Diphtheria at Sitka and Hoonah.

Hon. Walter E. Clark, governor of Alaska, reported by telegraph to the Department of the Interior January 29, 1913, that diphtheria was present at Sitka and Hoonah.

**Alaska—Measles.**

Acting Asst. Surg. Story, of the Public Health Service, reported by telegraph from Ketchikan, Alaska, February 7, 1913, that 48 cases of measles had been reported at Saxman, an Indian village 3 miles south of Ketchikan, during the 3 weeks preceding the date of his report.

**Pittsburgh—Measles.**

Surg. Stoner, of the Public Health Service, reported by telegraph from Pittsburgh, February 8, 1913, that during the week ended February 1, 1913, there had been reported in Pittsburgh 376 cases of measles, with 5 deaths, making totals of 4,031 cases and 62 deaths since the beginning of the outbreak, November 1, 1913.

**Washington Report for December, 1912.**

The Washington State Board of Health reported that during the month of December, 1912, there were notified in the State 42 cases of scarlet fever, 17 cases of measles, and 41 cases of diphtheria.

**Cases and Deaths Reported by Cities for Week Ended Jan. 25, 1913.**

Cities.	Population, United States cen- sus 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<b>Over 500,000 inhabitants:</b>										
Baltimore, Md.	558,485	212	27	4	80	.....	31	1	36	25
Boston, Mass.	670,585	230	51	3	155	.....	40	2	61	17
Chicago, Ill.	2,185,283	696	258	28	598	8	437	35	220	58
Cleveland, Ohio.	560,663	176	61	7	35	3	31	3	31	13
New York, N. Y.	4,766,883	1,461	363	25	472	15	333	19	456	180
Pittsburgh, Pa.	533,905	151	31	7	430	6	38	.....	33	14
St. Louis, Mo.	687,029	211	68	4	346	4	36	.....	43	18
<b>From 300,000 to 500,000 inhabit- ants:</b>										
Cincinnati, Ohio.	364,463	149	17	.....	317	7	13	.....	36	26
Detroit, Mich.	465,766	193	36	4	.....	.....	39	4	.....	.....
Los Angeles, Cal.	319,198	138	15	1	5	.....	9	1	40	22
Milwaukee, Wis.	373,857	136	29	5	27	1	18	.....	24	6
Newark, N. J.	347,469	122	39	3	23	.....	37	.....	41	16
New Orleans, La.	339,075	127	28	1	62	.....	2	.....	56	12
San Francisco, Cal.	416,912	179	12	1	2	.....	2	.....	29	18
Washington, D. C.	331,069	121	27	.....	180	.....	13	.....	28	12
<b>From 200,000 to 300,000 inhabit- ants:</b>										
Jersey City, N. J.	267,779	95	.....	2	.....	.....	.....	.....	.....	6
Providence, R. I.	224,326	69	19	.....	4	.....	11	.....	.....	6
<b>From 100,000 to 200,000 inhabit- ants:</b>										
Bridgeport, Conn.	102,054	36	9	3	1	.....	13	1	8	1
Cambridge, Mass.	104,839	43	8	1	17	2	3	.....	12	6
Columbus, Ohio.	181,548	39	8	1	7	.....	7	.....	1	3
Dayton, Ohio.	116,577	49	5	2	.....	.....	4	.....	2	5
Fall River, Mass.	119,295	38	4	.....	7	.....	12	.....	7	5
Grand Rapids, Mich.	112,571	26	.....	1	1	.....	1	.....	2	.....
Lowell, Mass.	106,294	37	3	1	8	.....	18	1	3	4
Nashville, Tenn.	110,364	36	4	.....	4	.....	4	.....	2	3
Oakland, Cal.	150,174	62	1	.....	.....	.....	2	.....	5	7
Omaha, Nebr.	124,096	45	15	3	4	.....	2	.....	.....	4
Richmond, Va.	127,628	49	3	.....	438	5	4	.....	7	4
Spokane, Wash.	104,402	.....	1	.....	6	.....	.....	.....	1	3
Toledo, Ohio.	168,497	50	9	.....	29	.....	2	.....	1	2
Worcester, Mass.	145,986	52	11	1	3	.....	11	.....	3	3



## SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Contd.

Cases and Deaths Reported by Cities for Week Ended Jan. 25, 1913—Contd.

Cities.	Population, United States cen- sus 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabit- ants:										
Altoona, Pa.	52,127	11	3				8			
Bayonne, N. J.	55,545	15	4	1	3		9		4	2
Brockton, Mass.	56,878	14			5		1		4	
Camden, N. J.	94,538		10		21		9		12	
Elizabeth, N. J.	73,409	22	7		7		2		6	5
Erie, Pa.	66,525	24	5		5		5	2	7	2
Evansville, Ind.	69,647	12	12				16	1	2	2
Harrisburg, Pa.	64,186	29	4	1	2			1	6	2
Hartford, Conn.	98,915	38	7		7		22		2	
Johnstown, Pa.	55,482	20	13		54		3			
Kansas City, Kans.	82,331		6		30		6		3	
Lynn, Mass.	89,336	23	7	1	22		7		5	1
Manchester, N. H.	70,063	31	17	1					2	2
New Bedford, Mass.	96,652	29	11	3	15		7		7	4
Oklahoma, Okla.	64,205	13								2
Passaic, N. J.	54,773	20	1		5	1	3		1	4
Pawtucket, R. I.	51,622	1								1
Peoria, Ill.	66,950	20	1		2		3			
Portland, Me.	58,571	20								2
Reading, Pa.	96,071	37	9	2	37		2		1	
Saginaw, Mich.	50,510	26	1		26		2			
St. Joseph, Mo.	77,403	25	7		1		1			
Schenectady, N. Y.	72,826	14	2		8		10	1	2	1
South Bend, Ind.	53,684	16	5	1			1			
Springfield, Ill.	51,678	28		1						2
Springfield, Mass.	88,926	27	1		19	1	4		3	1
Trenton, N. J.	96,815	31	3	1	23		3		12	4
Wilkes-Barre, Pa.	67,105	21	6				5		1	1
Yonkers, N. Y.	79,803	21	4		3		2			2
From 25,000 to 50,000 inhabit- ants:										
Auburn, N. Y.	34,668	17			18		5		3	
Aurora, Ill.	29,807	13								
Berkeley, Cal.	40,434	15			2					2
Binghamton, N. Y.	48,443	18	1						4	1
Brookline, Mass.	27,792	13	3		3		7		2	
Chattanooga, Tenn.	44,604						1	1	2	
Chelsea, Mass.	32,452	8	1		3				1	
Chicopee, Mass.	25,401	10	2	1	9		1		1	1
Danville, Ill.	27,871	4	1		1		3			1
East Orange, N. J.	34,371		1				2		1	
Elmira, N. Y.	37,176	16	2		20		2			
El Paso, Tex.	39,279	39	1	1			2	2		2
Everett, Mass.	33,484	6	4		5		1		4	
Haverhill, Mass.	44,115		3		51		6			
Kalamazoo, Mich.	39,437	20	1		1		1			1
Knoxville, Tenn.	36,346	15		1	1		1		3	3
La Crosse, Wis.	30,417	8					4			2
Lancaster, Pa.	47,227		3		12		1		3	
Lexington, Ky.	35,099	17			1		2			1
Lynchburg, Va.	29,494	3			20				2	
Malden, Mass.	44,404		1		9		2			
Montgomery, Ala.	38,136	16								
Newcastle, Pa.	36,280		2		6				1	
Newport, Ky.	30,309	7	1				4		1	1
Newton, Mass.	39,806		1				2		3	1
Niagara Falls, N. Y.	30,445	14			41		1			
Norristown, Pa.	27,875	2	2		1		1			
Orange, N. J.	29,630	7	3				1		2	
Pasadena, Cal.	30,291	12			1		1		2	2
Racine, Wis.	38,002	14					2			
Roanoke, Va.	34,874	7	2	1	1		1			2
Sacramento, Cal.	44,696	28	1		11					4
Salem, Mass.	43,697	12	1				7			2
San Diego, Cal.	39,578	9	2				2		4	4
South Omaha, Nebr.	26,259	10							1	
Superior, Wis.	40,384	11	1				1			2
Taunton, Mass.	34,259	8					3			
Waltham, Mass.	27,834	8	2	1	1		2			2
West Hoboken, N. J.	35,403		2		2		2			
Wheeling, W. Va.	41,641	22	6	1	39		1		3	1
Williamsport, Pa.	31,860	9	4		3		1			
York, Pa.	44,750		2		33		3		2	
Zanesville, Ohio.	28,026	7	1	1			3			

## SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Contd.

## Cases and Deaths Reported by Cities for Week Ended Jan. 25, 1913—Contd.

Cities.	Population, United States cen- sus 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Less than 25,000 inhabitants:										
Alameda, Cal.	23,833	7			1					
Beaver Falls, Pa.	12,191				4					
Biddeford, Me.	17,079	14		1						
Braddock, Pa.	17,759		3		10					
Cambridge, Ohio.	17,327	5					1			1
Clinton, Mass.	13,075	8			54	1				1
Columbus, Ga.	20,554	9								2
Columbus, Ind.		2								
Concord, N. H.	21,479	11			10		2			1
Cumberland, Md.	21,839	6	1		1		1		1	
Dunkirk, N. Y.		1			1		1		1	
Galesburg, Ill.	22,089	14								1
Harrison, N. J.	14,489	5	1		2				2	
Kearny, N. J.	18,659	5	5		4		2		1	1
La Fayette, Ind.	20,081	4								
Logansport, Ind.		5							1	
Marinette, Wis.	14,610	3								
Marlboro, Mass.	14,759	4								1
Massillon, Ohio.	23,830	3			1					1
Medford, Mass.	23,150	3	1		11				2	1
Melrose, Mass.	15,715	7					2			
Moline, Ill.	24,190	9			1					
Montclair, N. J.		1					3		3	
Morristown, N. J.	12,507	5	1				1			
Nanticoke, Pa.	18,857	6					1		1	
Newburyport, Mass.	19,240	6							4	1
North Adams, Mass.	22,019	6					1			1
Northampton, Mass.	19,931	5					2		1	
Ottumwa, Iowa.	23,012	11	1				3			
Palmer, Mass.		4								
Plainfield, N. J.	23,550	6								1
Rutland, Vt.	13,546				25					
Saratoga Springs, N. Y.		10								1
South Bethlehem, Pa.		11	1	1	1				1	1
Springfield, Ohio.		6	3				3			
Steelton, Pa.	14,476	6	2		1					
Wilksburg, Pa.		8	1		4				1	2
Woburn, Mass.	18,594	5								1